

NET 4







GENERAL DESCRIPTION

NET 4 is a Micro Terminal Block which is small in size and light in weight yet functionally the same as Standard Terminal Blocks finding its application where space is a constraint but the same cable density is required as in a normal situation.

WIRE TERMINATION TECHNOLOGY		APPROVALS
Screw Clamp		
PRODUCT FEATURE		
1. Polyamide 6,6 Housing 2. Economical 3. DIN Rail Mounted		

TECHNICAL DATA			
GENERAL			
No of Levels	1		
No of Connection	2		
Colours			
Insulation Material	Polyamide 66 (V0 grade as		
impulse Withstand Voltage	-		
Pollution Degree	3 (IEC 60947-1)		
Insulation Material Group	I		
Nominal Current(A)	600 V		
Nominal Current(B)	32 A		
Width (In mm)	26 mm		
Height (In mm)	30 mm		
Conductor Cross Section (In sq mm)	4 sq mm		
AWG Conductor Cross Section	Min:	24 AWG	Max: 10 AWG
Stripping Length (In mm)	8 mm		
Screw Thread	M3		
Tightening Torque /Rated Torque (in Nm)	0.5 Nm		
KEY COMMERCIAL DATA			
Standard Packing	100		
Weight/Package	0.60		
Custom Tariff No	85389000		
Country of Origin	India		

ACCESSORIES	
Cross Connection Link Assembly	
SLE - 2W	
SLE - 2W	
End Clamp	
SCMN	
SCM	
End Plate	
EPMN	 <p>Thickness: 150mm</p>
EPMN	 <p>Thickness: 150mm</p>
Marking Label	
LABEL KN6.5	

ACCESSORIES	
LABEL KN6.5	
Mounting Channel	
CHM10	